Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

CJC-1295/Ipamorelin 5 mg/5mg

Report To:
Wholesale

Compound: CJC-1295/Ipamorelin
Amount: 5 mg/5mg
Laboratory ID: V261015-15 004
Lot Number: C260304-010
Date Released: 11/9/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	99.09%
Quantity: CJC-1295	HPLC-UV/VIS	5.31 mg
Quantity: Ipamorelin	HPLC-UV/VIS	5.97 mg



ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on 11/9/2026

Approved By: Tori Johnson, Operations Director on 11/9/2026

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

CJC-1295/Ipamorelin 5 mg/5mg

Report To:
Wholesale

Compound: CJC-1295/Ipamorelin
Amount: 5 mg/5mg
Laboratory ID: V261015-15 004
Lot Number: C260304-010
Date Released: 11/9/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 261022

Analysis	Method	Result
Endotoxins	LAL	<10.0 EU/vial
Sterility	USP <71>	No Growth Detected

**USP <85>/FDA endotoxin threshold for parenteral drugs is 5 EU/kg per hour (350 EU total for a 70 kg adult)*

Run ID: 261022, 261021

Report By: Dustin Newman, Laboratory Director on 11/9/2026

Approved By: Tori Johnson, Operations Director on 11/9/2026

ND: Non-Detect
LOQ: Limit of Quantification

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.